



Spare parts for:

Espresso machines

This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*



Suitable for:

Suitable for:

Non-return and expansion valves

1523070 CHECK VALVE ø 1/8"M-6 mm



ODE

1523036 NON-RETURN VALVE ø 1/8"M-1/8"F



ODE 401003

1523700 NON-RETURN VALVE ø 1/8"M-1/8"M
for Coffee machine (RANCILIO) EPOCA1GR - S24 - S26
S27



ODE 400855

OR and ORM gaskets

1186877 O-RING 0114 RED SILICONE




ODE R990052/S

1186611 O-RING 02025 RED SILICONE
for Coffee machine (AZKOYEN)
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (BRASILIA) CENTURY - FIRENZE
GRADISCA - PORTOFINO
for Coffee machine (CARIMALI) ETABETA
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (EXPOBAR) EXPRESSO
MINICOMPACT - MONROC - OFFICE
for Coffee machine (FAEMA) COMPACT - DUE - DUEA
ELITE - E61 - E91 - E92
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS



ODE R990002/S

1786208 O-RING 02062 GREEN VITON
for solenoid valve



ODE R990000/V


ODE 990000/V

Suitable for:

Suitable for:


Solenoid valves

1120114 COIL ODE BDA08024AS 24V 8W
width 30 mm - height 39 mm
depth 42 mm



ODE RBDA08024AS


1120112 COIL ODE BDA08024CS 24Vdc 8W 50/60Hz
width 30 mm - height 39 mm
depth 42 mm



ODE BDA08024CS

ODE RBDA08024CS


3120374 COIL ODE BDA08024DS 24V 8W 50/60Hz
width 30 mm - height 39 mm
depth 42 mm



ODE BDA08024DS

ODE RBDA08024DS


1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2 XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS XLPALLAS



ODE BDA08223DS

ODE RBDA08223DS

1120098 COIL ODE BDV08024CY 24V 11W
width 30 mm - height 39 mm
depth 42 mm



ODE BDV08024CU

ODE BDV08024CY

ODE RBDV08024CY


1120344 COIL ODE BDV08110AY 110V 15VA 50/60Hz
width 30 mm - height 39 mm
depth 42 mm



ODE BDV08110AW


ODE BDV08110AY

1120190 COIL ODE LBA 24VDC 6W
width 22 mm - height 29,5 mm
depth 27,5 mm



ODE RLBA06024IS

1120110 COIL ODE LBA05024AS 24V 5W
width 22 mm - height 29,5 mm
depth 27,5 mm




ODE LBA05024AS

Suitable for:

1120122 COIL ODE LBA05230AS 230V 5W 50/60Hz

width 22 mm - height 29.5 mm
depth 27.5 mm




ODE LBA05230AS

ODE RLBA05230AS

Suitable for:

1120097 COIL ODE LBV05024CY 24VDC 7W

width 22 mm - height 29.5 mm
depth 27.5 mm




ODE LBV05024CU

ODE LBV05024CY

1120120 COIL ODE RLBA05024CS 24VDC 5W

width 22 mm - height 29.5 mm
depth 27.5 mm



ODE RLBA05024CS

1120057 ODE SOLENOID VALVE CORE

for valves series 21A - 21L with orifice
lower than 3.0 mm



ODE R450886/V

1120248 SOLENOID VALVE ODE 2 WAYS $\varnothing$ 1/4" 230V

EPDM seal - orifice $\varnothing$ 3.0 mm
with coil BDV08230AY 230/240V 50/60Hz 8W
temperature -10°C+80°C
for Coffee machine (ASTORIA CMA) PLUS4YOU
for Coffee machine (WEGA) CONCEPT



ODE 21A16KE30-XVP

ODE 21A16KE30-XVP+..

1120134 SOLENOID VALVE ODE 2 WAYS $\varnothing$ 1/4" 230V 8W

VITON seal - orifice 2.5 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -40°C+180°C



ODE 21A2KV25

ODE 21A2KV25+...

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W

width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS



ODE BDA08223DS

ODE RBDA08223DS

Suitable for:

1120804 SOLENOID VALVE ODE 2 WAYS $\varnothing$ 1/8" 230V 8W
RUBY seal - orifice $\varnothing$ 3 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -40°C +180°C



ODE 21A3KR30

Suitable for:

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2 XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS XLPALLAS



ODE BDA08223DS

ODE RBDA08223DS

1120802 SOLENOID VALVE ODE 2 WAYS 230V 8W
RUBY seal - orifice $\varnothing$ 2 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -40°C +180°C



ODE 21A1KR20-ORV

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2 XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS XLPALLAS



ODE BDA08223DS

ODE RBDA08223DS

1120202 SOLENOID VALVE ODE 3 VIE $\varnothing$ 1/8" 24V 8W
VITON seal - orifice $\varnothing$ 1.5 mm
with coil BDA08024CS 24Vdc 8W 50/60Hz
temperature -10°C+140°C



ODE 31A3AV15

1120112 COIL ODE BDA08024CS 24Vdc 8W 50/60Hz
width 30 mm - height 39 mm
depth 42 mm



ODE BDA08024CS

ODE RBDA08024CS

1120180 SOLENOID VALVE ODE 3 WAY $\varnothing$ 1/8" 24VDC 8W
VITON seal - orifice $\varnothing$ 1.1 mm
with coil BDA08024CS 24VDC 8W
temperature -40°C +180°C



ODE 31A3HLV11-PB

1120112 COIL ODE BDA08024CS 24Vdc 8W 50/60Hz
width 30 mm - height 39 mm
depth 42 mm



ODE BDA08024CS

ODE RBDA08024CS

Suitable for:

1120815 SOLENOID VALVE ODE 3 WAYS $\varnothing$ 1/8" 110V 8W
VITON seal - orifice $\varnothing$ 3 mm
with coil BDA08110AS 110V 8W
temperature -10°C+140°C



ODE 31A3AV30

Suitable for:


1120123 SOLENOID VALVE ODE 3 WAYS $\varnothing$ 1/8" 220V 8W
VITON seal - orifice $\varnothing$ 1.1 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -40°C +180°C



ODE 31A3HLV11+...

ODE 31A3HLV11-PB+...

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2 XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS XLPALLAS



ODE BDA08223DS

ODE RBDA08223DS

1120812 SOLENOID VALVE ODE 3 WAYS 115V 8W
RUBY seal - orifice $\varnothing$ 1.5 mm
TAPERED fitting
with coil BDA08115BS 110V 60Hz 8W
temperature -40°C+180°C



ODE 31A1AR15-ORV

1120805 SOLENOID VALVE ODE 3 WAYS 230V 8W
RUBY seal - orifice $\varnothing$ 1.5 mm
TAPERED fitting
with coil BDA08223DS 220/230V 50/60Hz 8W
fluid temperature -40°C +180°C



ODE 31A1AR15-VORV

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2 XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS XLPALLAS



ODE BDA08223DS

ODE RBDA08223DS

Suitable for:

Suitable for:

1120809 SOLENOID VALVE ODE 3 WAYS 230V 8W
RUBY seal - orifice $\varnothing$ 1.5 mm
TAPERED fitting
with coil B0108223DS 220/230V 50/60Hz 8W
fluid temperature $-40^{\circ}\text{C} + 180^{\circ}\text{C}$




ODE 31A1AR15

1120810 SOLENOID VALVE ODE 3 WAYS 24V 8W
VITON seal - orifice $\varnothing$ 3 mm
TAPERED fitting
with coil BDA08024DS 24V 50/60Hz 8W
temperature $-10^{\circ}\text{C} + 140^{\circ}\text{C}$



ODE 31A1AV30

3120374 COIL ODE BDA08024DS 24V 8W 50/60Hz
width 30 mm - height 39 mm
depth 42 mm



ODE BDA08024DS

ODE RBDA08024DS


2102059 SOLENOID VALVE ODE 3-WAYS $\varnothing$ 1/8" 230V 8W
VITON seal - orifice $\varnothing$ 1.5 mm
with coil BDA08223DS 8W 220/240V 50/60Hz
temperature $-10^{\circ}\text{C} + 140^{\circ}\text{C}$
for Coffee machine (MARZOCCO) FB/70 - FB/80 - GB/5
GS/3 - LINEA - MISTRAL - STRADA



ODE 31A3AV15

ODE 31A3AV15+

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS



ODE BDA08223DS

ODE RBDA08223DS

1120816 2-WAY SOLENOID VALVE ODE $\varnothing$ 1/4" 110V 8W
VITON seal - orifice $\varnothing$ 2 mm
with coil BDA08110AS 100V 8W
temperature $-10^{\circ}\text{C} + 140^{\circ}\text{C}$



ODE 212A2KV20

Suitable for:

1120039 2-WAY SOLENOID VALVE ODE $\varnothing$ 1/4" 230V 8W
VITON seal - orifice $\varnothing$ 2.5 mm
coil BDA08223DS 220/230V 50/60Hz 8W
temperature -10°C+140°C
for Coffee machine (ESSIKA) SK2 - SSK2



ODE

Suitable for:

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS



ODE BDA08223DS


ODE RBDA08223DS

1120040 2-WAY SOLENOID VALVE ODE $\varnothing$ 1/4" 230V 8W
VITON seal - orifice $\varnothing$ 2.2 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -10°C+140°C



ODE 21TG2KR022 (ex 21T2BV22-F)

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS



ODE BDA08223DS


ODE RBDA08223DS

1120164 2-WAY SOLENOID VALVE ODE $\varnothing$ 1/4" 230V 8W
VITON seal - orifice $\varnothing$ 1,1 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -10°C+140°C



ODE 21A2KV11+BDA08223

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS



ODE BDA08223DS

ODE RBDA08223DS

Suitable for:

1120803 2-WAY SOLENOID VALVE ODE $\varnothing$ 1/4" 230V 8W
VITON seal - orifice $\varnothing$ 3 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -10°C+140°C



ODE 212A2KV30

Suitable for:

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2 XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS XLPALLAS



ODE BDA08223DS


ODE RBDA08223DS

1120807 2-WAY SOLENOID VALVE ODE $\varnothing$ 1/4" 230V 8W
VITON seal - orifice $\varnothing$ 2.8 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -10°C+140°C



ODE 21TG2KR028 (ex 21T2BV28-F)

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2 XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS XLPALLAS



ODE BDA08223DS

ODE RBDA08223DS

1120813 2-WAY SOLENOID VALVE ODE $\varnothing$ 1/8" 110V 8W
VITON seal - orifice $\varnothing$ 3 mm
with coil BDA08110AS 110V 8W
temperature -10°C+140°C



ODE 21A3KV30

1120814 2-WAY SOLENOID VALVE ODE $\varnothing$ 1/8" 110V 8W
RUBY seal - orifice $\varnothing$ 3 mm
with coil BDA08110AS 110V 8W
temperature -40°C+180°C



ODE 21A3KR30-110V

1120157 2-WAY SOLENOID VALVE ODE $\varnothing$ 1/8" 220V 5W
VITON seal - orifice $\varnothing$ 2.3 mm
with coil LBV05220BU 220V 60Hz 5W
temperature -10°C+140°C
for Coffee machine (CONTI) TWIN STAR2



ODE 21JN1R0V23

ODE 21JN1R0V23+..

Suitable for:

1120012 2-WAY SOLENOID VALVE ODE $\varnothing$ 1/8" 230V 5W
VITON seal - orifice $\varnothing$ 2.3 mm
coil LBA05230AS 230V 50/60Hz 5W
temperature -10°C+140°C
for Coffee machine (NUOVA SIMONELLI) JAZZ




ODE 21JN1R0V23+...

ODE 21JN1R0V23-230

Suitable for:

1120122 COIL ODE LBA05230AS 230V 5W 50/60Hz
width 22 mm - height 29.5 mm
depth 27.5 mm



ODE LBA05230AS


ODE RLBA05230AS

1120808 2-WAY SOLENOID VALVE ODE $\varnothing$ 1/8" 230V 8W
VITON seal - orifice $\varnothing$ 3 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -10°C+140°C



ODE 212A3KV30

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2 XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS XLPALLAS



ODE BDA08223DS

ODE RBDA08223DS

1120346 2-WAYS SOLENOID VALVE ODE $\varnothing$ 1/4" 24VDC
VITON seal - orifice $\varnothing$ 5.5 mm
with coil UDA 24VDC 12W
temperature -10°C+140°C



ODE 5204KCV55+...

1120136 3 WAY-ODE $\varnothing$ 1/8" MECHANICAL PART
orifice $\varnothing$ 1.2 mm



ODE 31JN1XPV12

1120137 3 WAY-ODE $\varnothing$ 1/8" MECHANICAL PART
orifice $\varnothing$ 2.3 mm



ODE 31JN1XPV23

Suitable for:

1120806 3-WAY ODE SOLENOID VALVE 1/8" 230V 8W
RUBY seal - hole $\varnothing$ 1,5 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
thermal drilling -40°C+180°C



ODE 31A3AR15

Suitable for:

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS



ODE BDA08223DS


ODE RBDA08223DS

1120121 3-WAY SOLENOID VALVE ODE $\varnothing$ 1/8" 230V 5W
VITON seal - orifice $\varnothing$ 1.2 mm
with coil LBA05230AS 230/240V 50/60Hz 5W
temperature -10°C+140°C
for Coffee machine (NUOVA SIMONELLI) JAZZ
for Coffee machine (VICTORIA ARDUINO) VENUSFAMILY



ODE 31JN1XPV12+...

1120122 COIL ODE LBA05230AS 230V 5W 50/60Hz
width 22 mm - height 29.5 mm
depth 27.5 mm



ODE LBA05230AS

ODE RLBA05230AS

1120801 3-WAY SOLENOID VALVE ODE 230V 8W
RUBY seal - orifice $\varnothing$ 1.5 mm
TAPERED fitting
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -40°C+180°C



ODE 31A1CR15

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS





ODE BDA08223DS

ODE RBDA08223DS

Suitable for:


1331013 VIBRATORY PUMP PHOENIX 50N 230V 53W

Technical drawing of the back of the watch case. The case back features a logo and the text "SWISS MADE". The case thickness is indicated as 23.4 mm.



VIBRATORY PUMP P HOENIX 50N 230V 53W

Curva delle prestazioni





VIBRATORY PUMP PHOENIX 50N 230V 53W

fittings $\varnothing$ 1/8"

pressure max 20 bar


water temperature max 35°C

CE - LFGB - NSF - VDE approved



ODE TP400-224A-ACA-20

Curva delle prestazioni



info@idroenergiaitalia.it

The data herewith contained may change without notice and Idroenergiaitalia SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by Idroenergiaitalia